

Yours Need, Our Design, Make Future Machines

You are with a growing company G.D. Agro Industries,
We provide complete series of machines for seed cleaning, grading
for all kinds of seeds, grains, pulses, oil seeds & spices



G.D. AGRO INDUSTRIES

Opp. Industrial Area, Jagadhri Road, Ambala Cantt.- 133 001

Email: g.d.sheet2008@gmail.com

Mobile:- 94661-29702, 98128-28777, 99965-39999



GD SEED PRE-CLEANER

MODEL - GD-PC - 2

Over All Dimension	: 225 X 154 X 232 cms (LXBXH)
No of Screen	: 02
No. of Air Aspiration	: 02
Electric Motor	: 5 H.P., 3 PH, 440 V, 50 Hz AC Supply
Size of Screen	: 90 X 100 cms TOP SCREEN 90 X 180 cms BOTTOM SCREEN
No. of Grading	: 1 (one)
No. of Scalping	: 1 (one)
Feeding	: Feeding Elevator is required for this Machine
Capacity	: 2 TPH based on wheat at 10% Impurities & 12% Moisture Content



GD SEED PRE-CLEANER

MODEL - GD-PC - 3

Over All Dimension	: 285 X 155 X 230 cms
No of Screen	: 02
No. of Air Aspiration	: 02
Electric Motor	: 5 H.P., 3 PH, 440 V, 50 Hz Ac Supply
Size of Screen	: 112 x 112 cms TOP SCREEN 112 x 180 cms BOTTOM SCREEN
No. of Grading	: 01
No. of Scalping	: 01
Feeding	: Feeding Elevator is Required
Capacity	: 3 TPH Based on Wheat at 10% Impurities & 12% moisture content.



GD SEED PRE-CLEANER

MODEL - MAX PC - 5

Over All Dimension	: 287 x 223 x 271 cms
No of Screen	: 02
No. of Air Aspiration	: 01
Electric Motor	: 5 H.P., 3 PH, 440 V, 50 Hz Ac Supply
Size of Screen	: 137 x 112 cms TOP SCREEN 137 x 224 cms BOTTOM SCREEN (In Two Parts)
No. of Blower	: 01
Blower Speed	: 1000 Rpm
Capacity	: 5 TPH at 12% Moisture Contents & 20 % Impurities Based on Wheat.



GD SEED GRADER

MODEL - Supreme 3S4T (PT)

Capacity	: 2.5 To 3 TPH
Over All Dimension	: 356 x 205x 285 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply
Size of Screen	: 137 x 100 Top Screen 137 x 180 Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01
Feeding	: Pneumatic



GD SEED GRADER

MODEL - MAX 3S2T (RT)

Capacity	: 2.5 - 3 TPH Based on Wheat at 10% Impurities & 12% Moisture
Over All Dimension	: 285 x 186 x 242 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply 1.5 HP 3 PHASE, 440 V 960 RPM
Size of Screen	: 112 x 111 cms Top Screen 112 x 180 cms Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01
Feeding	: Elevator is Required



GD SEED GRADER

MODEL - GEM

Capacity	: 2.5 TPH Based on Wheat at 12 % Moisture
Over All Dimension	: 312 x 180 x 275 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply
Size of Screen	: 138 x 112 cm Top Screen 143 x 112 cm Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01



GD SEED PRE-CLEANER

MODEL - GD-PC - 5

Over All Dimension	: 285 X 186 X 232 cms
No of Screen	: 02
No. of Air Aspiration	: 02
Electric Motor	: 5 H.P., 3 PH, 440 V, 50 Hz Ac Supply
Size of Screen	: 122 x 111 cms TOP SCREEN 122 x 180 cms BOTTOM SCREEN
No. of Grading	: 01
No. of Scalping	: 01
Feeding	: Feeding Elevator is Required
Capacity	: 5 TPH Based on Wheat at 10% impurities & 12% moisture content.



GD SEED GRADER

MODEL - Supreme Delux

Over All Dimension	: 280 x 122 x 196 cms
No of Screen	: 02
No. of Air Aspiration	: 02
Electric Motor	: 5 H.P., 3 PH, 440 V, 50 Hz Ac Supply
Size of Screen	: 66 x 74 cms TOP SCREEN 66 x 130 cms BOTTOM SCREEN
No. of Grading	: 01
No. of Scalping	: 01
Feeding	: Pneumatic (No Feeding elevator Regd.)
Capacity	: 1 TPH at 12% Moisture Contents & 20 % Impurities Based on Wheat.



GD SEED GRADER

MODEL - Supreme Green (PT)

Capacity	: 1.5 TPH
Over All Dimension	: 356 x 175 x 285 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 5 H.P., 3PH, 440 V 50 Hz Ac Supply
Size of Screen	: 80 x 100 Top Screen 80 x 180 Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01
Feeding	: Pneumatic



GD SEED GRADER

MODEL - MAX 354T

Capacity	: 2.5 - 3 TPH Based on Wheat at 10% impurities & 12% Moisture
Over All Dimension	: 285 x 186 x 242 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply 2 HP 3 PHASE, 440 V 960 RPM
Size of Screen	: 135 x 120 cms Top Screen 135 x 180 cms Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01
Feeding	: Elevator is Required



GD SEED GRADER

MODEL - MAX - 4S


Capacity	: 2.5 TPH Based on Wheat at 12 % Moisture
Over All Dimension	: 293 X 203 X 194 cms
No. of Screen	: 4
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply
Size of Screen	: 112 X 137 CMS (SH Screens)
No of Grading	: 1 & 2
No of Scalping	: 2 & 1
Feeding	: By VB Elevator
Cleaning	: By Brush



GD SEED GRADER

MODEL - MAX 354T (RT)

Capacity	: 3 - 4 TPH Based on Wheat at 10% impurities & 12% Moisture
Over All Dimension	: 285 x 186 x 242 cms
No. of Screen	: 3
No. of Aspiration	: 2
Electric Motor	: 7.5 H.P., 3PH, 440 V 50 Hz Ac Supply 2 HP 3 PHASE, 440 V 960 RPM
Size of Screen	: 135 x 120 cms Top Screen 135 x 180 cms Bottom/Middle Screen
No of Grading	: 02
No of Scalping	: 01
Feeding	: Elevator is Required



GD SPECIFIC GRAVITY SEPRATOR

No of Fan	: 3 Fan	5 fan	7 fan
Electric Motor	: 5HP + 1HP WITH VFD DRIVE	7.5 HP + 1.5 HP With VFD	10 HP + 2 HP With VFD
Size of Deck	: 1600mm X 800mm	2340mm X 1050 mm	3100mm X 1200 mm
Type of Deck	: Rectangular	Rectangular	Rectangular
Capacity	: 1.5 to 2 TPH	3 to 4 TPH	5 to 6 TPH



GD INDENTED CYLINDERS

MODEL - Supreme Cylinder

MODEL	DELICATE I	DELICATE II	DELICATE III
Capacity	: 0.8 to 1 TPH	1.5 to 2 TPH	2.5 to 3 TPH
No. of Cylinder	: 01	01	01
Size of Cylinder	: 500 x 1500 mm	600 x 2000 mm	700 x 3000 mm
Electric Motor	: 1 HP	2 HP	2 HP
Speed of Cylinder	: Variable	Variable	Variable
O. A Size	: 1.9 x 0.8 x 1.5 Mtr	2.4 x 0.9 x 1.5 Mtr	3.4 x 1.0 x 1.6 Mtr



GD BUCKET ELEVATOR

MODEL - Pearl - I

Capacity : 3 Ton - 25 Ton

Electric Motor : 0.50 HP to 25 HP

All over Size : As Per Requirement

G.D. AGRO INDUSTRIES

Opp. Industrial Area, Jagadhri Road, Ambala Cantt.- 133 001

+91-171(0)6530220

Email: g.d.sheet2008@gmail.com

Mobile:- 94661-29702, 98128-28777, 99965-39999